

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/624478.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:11
S2	907	345/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:08
S3	9758	optical adj film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:21
S4	63732	diffuser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:21
S5	2	S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:26
S6	527	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:26
S7	3316645	upper and lower	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:26
S8	206	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:44
S9	52451	backlight or (back adj light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:44

S10	103	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:50
S11	7261	S4 same (upper and lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:51
S12	182	S9 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 16:52
S13	132	(upper adj diffuser) and (lower adj diffuser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 13:17
S14	12	S13 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:01
S15	496	sensor and FR4 and (thick\$5 or depth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:12
S16	182	S2 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:19
S17	46	S2 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:12
S18	0	reflector and thickness and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:21

S19	0	reflect\$4 and thickness and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:21
S20	42	prism and thick\$5 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:24
S21	59	sens\$3 and thick\$5 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:31
S22	1	FR4 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:31
S23	1004	(lower adj glass adj substrate) and (upper adj glass adj substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:33
S24	9738	control and (FPC or (flexible adj printed adj circuit) or F-P-C)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:34
S25	6165	FR4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 17:34
S26	13	("6243068").URPN.	USPAT	OR	ON	2005/11/16 17:44
S27	891	349/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 09:57
S28	492	S27 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 18:09

S29	1	10/624478.app. and reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 18:19
S30	471	S28 and (reflecting or reflection or reflector or mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 18:23
S31	92970	thickness same(reflecting or reflection or reflector or mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 18:23
S32	266	S31 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/16 18:23
S33	891	349/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/17 08:36
S34	93052	thickness same(reflecting or reflection or reflector or mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/17 08:36
S35	266	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/17 08:38
S36	72	S33 and S34 and ("0.2" or "0.3" or "0.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:38
S38	891	349/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:13

S40	2669	345/173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 10:03
S41	339	345/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 10:03
S42	1	10/624478.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 10:40
S43	1	S42 and (antenna adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 10:41
S44	550	178/18.03	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 11:54
S45	151	178/18.09.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 11:56
S46	29	178/18.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 11:57
S47	8135290	(timer or time or timing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:14
S48	7108850	control or controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:14

S49	93052	thickness same(reflecting or reflection or reflector or mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:15
S50	4340927	sensor or sensing or sense or detect or detector or detecting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:18
S51	19887	S47 and S48 and S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:19
S52	27	S51 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 12:20
S53	2669	345/173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:07
S54	93052	thickness same(reflecting or reflection or reflector or mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:07
S55	8135290	(timer or time or timing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:08
S56	7108850	control or controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:08
S57	4340927	sensor or sensing or sense or detect or detector or detecting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:08

S58	19887	S55 and S56 and S54 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:08
S59	29	S53 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:15
S60	1242	structure and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:15
S61	1037	S60 and (S57 or antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:17
S62	903	S61 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:24
S63	78	S61 and (backlight or lightguide or light-guide or (light adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:55
S64	101	S60 and (backlight or lightguide or light-guide or (light adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:31
S65	23	not S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 14:59
S66	53	428/1.62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:05

S67	907	345/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:16
S68	22	S67 and structure and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:17
S69	352	S67 and structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:31
S70	18154	structure and (backlight or lightguide or light-guide or (light adj guide)) and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:32
S71	961	S70 and S57 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:33
S72	875	S71 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:39
S73	641	S72 and (LCD or L-c-d or (liquid adj crystal adj display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/18 15:39
S74	131221	digitiz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:29
S75	907	345/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:29



S76	19	S74 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:31
S77	37	active adj S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:33
S78	16018	(electromagnetic or (electro adj magnetic)) and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:35
S79	832	S78 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 11:05
S80	67	S79 and ("0.2" or "0.3" or "0.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 10:10
S81	6179	FR4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:53
S82	1	S81 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 08:52
S83	43	S81 and (S78 or S77)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:38
S84	15	Lin-Che-Li.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:32

S85	2324	antenna and (FR4 or FPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:33
S86	254	S85 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:33
S87	17724	(flexible adj printed adj circuit) or F-P-C	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:40
S88	82	FR4 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:41
S89	621	(digitizer or antenna) and FR4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:42
S90	6	"345".clas. and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:44
S91	179	(flame adj retardent adj laminate) or (flame adj retardant adj laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 15:02
S92	233	(woven adj glass adj fiber) with (impregnated with (resin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:45
S93	6	(S91 or S92) and (digitizer or antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:46

S94	3	(S91 or S92) and (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 09:46
S95	527	S79 and (antenna or sensor or reflector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 10:02
S96	75	S79 and (reflector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 10:03
S97	14	S79 and (reflector and antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 10:04
S101	48	S79 and sensor and ("0.2" or "0.3" or "0.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 10:11
S102	15	("5543589").URPN.	USPAT	OR	ON	2005/11/21 10:43
S103	59615	(array or sensor) with below	USPAT	OR	ON	2005/11/21 10:43
S104	2298	S103 same (reflector or reflection or mirror)	USPAT	OR	ON	2005/11/21 10:44
S105	245	S104 and S74	USPAT	OR	ON	2005/11/21 10:44
S106	91	S105 and S78	USPAT	OR	ON	2005/11/21 10:44
S107	7	("5521336").URPN.	USPAT	OR	ON	2005/11/21 10:59
S108	167	S79 and (reflection or reflector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 11:07
S109	3	S79 and (white adj sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 11:09
S110	22	keely-leroy-bertrand.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 11:10

S111	6	("5977888"   "6031524"   "6067133"   "6330150"   "6654078"   "6747713").PN. OR ("6956627").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 11:14
S114	295	FR4 and antenna	USPAT	OR	ON	2005/11/21 14:47
S116	198	S114 and ( thickness or "0.2" or "0.3" or "0.4")	USPAT	OR	ON	2005/11/21 14:51
S117	84	S116 and (display or LCD or (liquid crystal))	USPAT	OR	ON	2005/11/21 14:51
S118	12	("6020867").URPN.	USPAT	OR	ON	2005/11/21 15:00
S119	179	(flame adj retardent adj laminate) or (flame adj retardant adj laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 15:02
S120	1	S119 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/21 15:02
S121	187	digitizer and ("0.4" or "0.5" or "0.6" or "0.7" or "0.8") and display and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:35
S122	908	345/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:22
S123	550	178/18.03	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:32
S124	151	178/18.09.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:32
S125	29	178/18.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:32

S126	892	349/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:33
S127	37	349/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:43
S128	900	362/551.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:33
S129	305	362/559.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:34
S130	154	thickness and S128	USPAT	OR	ON	2005/11/22 08:35
S131	37	S130 and ("0.4" or "0.5" or "0.6" or "0.7" or "0.8")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:37
S132	22	S129 and thickness and ("0.4" or "0.5" or "0.6" or "0.7" or "0.8")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:51
S133	1	08/948775.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:44
S134	17	("5120908"   "5122623"   "5225637"   "5349139"   "5402151"   "5466895"   "5633660"   "5670755"   "5730602"   "5754169").PN. OR ("6215476").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/22 08:49
S135	25937	(reflector or (reflection adj plate) or mirror) and ((sensor adj board) or antenna)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/22 08:58
S136	580	S135 and "345".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/22 08:50

S137	223	S136 and thickness and ("0.4" or "0.5" or "0.6" or "0.7" or "0.8")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:59
S138	669862	(reflector or (reflection adj plate) or mirror) or ((sensor adj board) or antenna)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/22 08:58
S139	20122	S138 same ("0.4" or "0.5" or "0.6" or "0.7" or "0.8")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:59
S140	116	S139 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 08:59